




TECHNICAL SPECIFICATION SHEET


PRODUCT NAME: Flo Plus Monitor Arm

PRODUCT CODE: DYN/026/010

Doc Rev DRAFT.20.03.2015. CF



*Configuration shows Flo Plus with single head mount & split clamp



*Note estimated dimensions provided are measured in mm

KEY FEATURES

- Combines high-load support with dynamic adjustability.
- Smooth dynamic movement through patented Flo Spring Technology.
- Great range of manoeuvrability with 576mm reach and 331mm of vertical height adjustment.
- Visual indicator gauge for easy replication of weight setting when installing multiple arms.
- Integrated cable management system.
- Minimal environmental impact.

Product Classification	Monitor Arms
Max load	18kg (39.6lb)
Min load	6kg (13.2lb)
Horizontal range	576mm
Vertical range	331mm
Build level	#A
Recycled content	29%
Total product recyclable	100%

LOGISTICAL

Box contains	Flo Plus monitor arm, allen key
Product net weight	3.5kg
Box dims (HxWxD)	110 x 170 x 780 mm
Box gross weight	4.1kg
Carton quantity	4
Master dims (HxWxD)	250 x 370 x 800 mm
Master weight	17.7kg
Country of origin	China
Country of configuration	UK

ORDERING INFORMATION

<u>Colour</u>	<u>Product code</u>	<u>EAN</u>
White	DYN/026/010/W	5060270821540
Silver	N/A	N/A
Black	N/A	N/A

WARRANTY

Warranty Term	Limited lifetime warranty
----------------------	---------------------------

COMPLIANCE & SAFETY CERTIFICATION

Whilst no mandatory standards apply to the monitor arm product sector, all Colebrook Bosson Saunders monitor arms have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).

Conformance certification	BS EN ISO 9241:5 1999 Ergonomic Requirements for office work with visual display terminals (VDTs). FIRA certificate of conformance pending.
Test authority	CBS
Safety certification	N/A

ENVIRONMENTAL

Material type	Material type Weight	% PIR of total weight	% PCR of total weight	% of total product recyclable
Aluminium Die Cast	1557.3g	9.57%	19.14%	47.86%
Aluminium Extruded	0g	0%	0%	0%
Plastic	169.6g	0.26%	0.26%	5.21%
Rubber	0g	0%	0%	0%
Steel	962g	0%	7.39%	29.57%
Stainless Steel	0g	0%	0%	0%
Zinc	564.8g	0%	2.60%	17.36%
Brass	0g	0%	0%	0%
Total	3253.7g	9.83%	29.4%	100%

CLEANING, STORAGE & MAINTENANCE

Routine servicing	Periodic inspection
Service components	Available to order
Cleaning & Maintenance	Damp cloth, no abrasives, no solvents to be used on the cosmetic surfaces
Handling & Storage	Do not drop or expose to moisture

Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained herein and retain the right to modify the specifications or data contained herein without prior notification.