



## TECHNICAL SPECIFICATION SHEET


**PRODUCT NAME:** Flo Power Hub

**PRODUCT CODE:** USB/001/001 (Schuko Version)


Doc Rev 2.

Product Rev #A

15.08.2016 CF




Flo Power Hub



H 23mm x W 150mm x D 92mm

Power Supply Unit (PSU)




H 35mm x W 120mm x D 50mm

Cable Length: 1100mm

\*Dimensions maybe subject to change

Mains Cable



Cable Length: 1500mm

\*Dimensions maybe subject to change

\*Plug appearance may be subject to change

\*Note dimensions provided are measured in mm

### KEY FEATURES

- 3 x USB charging ports (1 fast charge, 2 standard charge ports)
- Compact size occupies minimal desk space
- Integrates with the monitor arm desk clamp to provide USB desktop charging
- Compatible with Flo Monitor arms
- Compatible with post mounted arms using supplied adaptor washer
- Available in two colour options:
  - Light grey – to complement white monitor arms
  - Dark grey – to complement silver monitor arms

## Specifications

---

<b>Product Classification</b>	Power & Lighting
Recycled Content	0.48%
Total Product Recyclable	20%

### Flo Power Hub Specification

Product Dimensions:	H 23mm x W 150mm x D 92mm
Product Colour:	Light Grey & Dark Grey
Input:	DC 5V , 5A
Output:	1 <sup>st</sup> port DC 5V, 2.4A 2 <sup>nd</sup> & 3 <sup>rd</sup> port DC 5V, 1A

### PSU Specification

Product Dimensions:	H 35mm x W 120mm x D 50mm *
Power Cable Length:	1100mm *
Product Colour:	Black
Power Input:	AC 100-240V, 50/60Hz,
Power Output:	DC 5V , 5A

### Mains Cable Specification

Power Cable Length:	1500mm *
Product Colour:	Black

\*Dimensions may be subject to change

## LOGISTICAL

---

<b>Box contains</b>	Flo Power Hub, Power Supply Unit (PSU), Mains Cable, Adaptor Washer
<b>Product net weight:</b>	0.46 kg
<b>Box dims (HxWxD)</b>	85 x 165 x 100 mm
<b>Box gross weight</b>	0.55 kg
<b>Carton quantity</b>	48
<b>Master dims (HxWxD)</b>	516 x 364 x 454 mm
<b>Master weight</b>	27.96 kg
<b>Country of origin</b>	China
<b>Country of configuration</b>	UK

## ORDERING INFORMATION

---

### Product Description

Flo Power Hub (Schuko Version)

### Product code

USB/001/001

### Colour

:/DG Dark Grey or  
:/LG Light Grey

## WARRANTY

---

### Warranty Term

2 Year

## COMPLIANCE & SAFETY CERTIFICATION

---

The Flo Power Hub has been independently tested for compliance with the following standards:

IEC 60065:2001 +A1:2005 +A2:2011 Audio, video and similar electronic apparatus – Safety Requirements

EN 60065:2002 +A1:2006 +A11:2008 +A2:2010 +A12:2011 Audio, video and similar electronic apparatus – Safety Requirements

EN 55022:2010/AC:2011 Information technology equipment – Radio disturbance characteristics – Limits and methods of measurements

EN 55024:2010 Information technology equipment – Immunity characteristics – Limits and methods of measurements (CISPR 24:2010)

AS/NZS CISPR 22:2009+A1:2010 Information technology equipment – Radio disturbance characteristics – Limits and methods of measurements

FCC Part 15 Subpart B:2014

47 CFR Part 15 Radio Frequency Devices

ICES-003 Issue 5 2012 Information technology equipment (ITE) – Limits and methods of measurement

UL 817 Standard for cord sets and power supply cords

CSA C22.2 NO 42 General use receptacles, attachment plugs, and similar wiring devices

DIN EN 60320-1:2001 (VDE 0625-1)+A1 2007 Appliance couplers for household and similar general purposes. General requirements

BS 1363 Parts 1-5 plugs, socket-outlets, adaptors, fused connection units and conversion plugs

AS/NZS 60320.1:2004 Appliance couplers for household and similar general purposes. General requirements

CNCA-01C-001:2001 Implementation rules for compulsory certification of certification or electrical and electronic products

JET2591-43006-1001 Power outlet plug for appliance

UL817 CSA C22.2


EN60320 C7

## ENVIRONMENTAL (TBC)


Material Make-up			Total Recycled Content	Breakdown of Recycled Content		Total Recyclable	
Overall Product			Overall Product	Overall Product		Overall Product	
Material type	Total Material type weight (g)	Percentage of Total Product Weight (%)	Material-Type Recycled Content (%)	Percentage PIR of total weight (%)	Percentage PCR of total weight (%)	Total Product Recyclable (g)	Total Product Recyclable (%)
Steel	17.25	4%	0.48%	0.08%	0.40%	17.25	4%
Plastic	79	17%	0.00%	0.00%	0.00%	79.00	17%
Electronics	374	80%	0.00%	0.00%	0.00%	0.00	0%
<b>Total</b>	<b>470.25</b>	<b>100%</b>	<b>0.48%</b>	<b>0.08%</b>	<b>0.40%</b>	<b>96.25</b>	<b>20%</b>

PIR = Post Industrial Recycled  
PCR = Post Consumer Recycled

Total Product Weight (%)



Total Product Recycled Content (%)



## CLEANING, STORAGE & MAINTENANCE

### Routine servicing

Periodic inspection

### Service components

No user serviceable components

### Cleaning & Maintenance

Damp cloth, no abrasives, no solvents to be used on the cosmetic surfaces. **IMPORTANT:** Always disconnect from power source when cleaning.

### Handling & Storage

Do not drop or expose to moisture

Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained herein and retain the right to modify the specifications or data contained herein without prior notification.