





# TECHNICAL SPECIFICATION SHEET

**PRODUCT NAME:** Flo Plus Monitor Arm

**PRODUCT CODE:** DYN/026/010

Doc Rev 5.

07.05.21 KO



Dimensions are in mm

## KEY FEATURES

- Combines high-load support with dynamic adjustability.
- Can be configured for single screen or dual screen mount applications.
- Smooth dynamic movement through patented Flo Spring Technology.
- Great range of manoeuvrability with 634mm reach and 331mm of vertical height adjustment.
- Visual indicator gauge for easy replication of weight setting when installing multiple arms.
- Integrated cable management system.

<b>Min to Max load</b>	Single Screen:	8.5kg to 15kg
	Dual Screen:	3.25kg to 8kg per screen
<b>Horizontal range</b>		634mm
<b>Vertical range</b>		331mm dynamic motion (548mm max height)
<b>Recycled content</b>		57%
<b>Total product recyclable</b>		100%

## LOGISTICAL

---

<b>Box contains</b>	Flo Plus monitor arm, allen key
<b>Product net weight</b>	3.5kg
<b>Box dims (HxWxD)</b>	110 x 170 x 780 mm
<b>Box gross weight</b>	4.1kg
<b>Carton quantity</b>	4
<b>Master dims (HxWxD)</b>	250 x 370 x 800 mm
<b>Master weight</b>	17.7kg
<b>Country of origin</b>	China
<b>Country of configuration</b>	UK

## ORDERING INFORMATION

---

<b><u>Product Description</u></b>	<b><u>Product code</u></b>	<b><u>Colour</u></b>
Flo Plus Monitor Arm	DYN/026/010	:/W White

## WARRANTY

---

<b>Warranty Term</b>	12 years
----------------------	----------

## COMPLIANCE & SAFETY CERTIFICATION

---

Whilst no mandatory standards apply to the monitor arm product sector, all Colebrook Bosson Saunders monitor arms have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).


<b>Conformance certification</b>	BS EN ISO 9241:5 1999 Ergonomic Requirements for office work with visual display terminals (VDTs). FIRA certificate of conformance pending.
<b>Test authority</b>	CBS
<b>Safety certification</b>	N/A

## ENVIRONMENTAL


Material Make-up			Total Recycled Content	Breakdown of Recycled Content		Total Recyclable	
Overall Product			Overall Product			Overall Product	
Material type	Total Material type weight (g)	Percentage of Total Product Weight (%)	Material-Type Recycled Content (%)	Percentage PIR of total weight (%)	Percentage PCR of total weight (%)	Total Product Recyclable (g)	Total Product Recyclable (%)
Aluminium	1557.3	48%	45%	24%	21%	1557.3	47.86%
Zinc	564.8	17%	8%	4%	4%	564.8	17.36%
Steel	962	30%	4%	1%	3%	962.0	29.57%
Plastic	169.6	5%	0%	0%	0%	169.6	5.21%
<b>Total</b>	<b>3253.7</b>	<b>100%</b>	<b>57%</b>	<b>29%</b>	<b>28%</b>	<b>3253.7</b>	<b>100.00%</b>

PIR = Post Industrial Recycled  
PCR = Post Consumer Recycled

Total Product Weight (%)



Total Product Recycled Content (%)



## CLEANING, STORAGE & MAINTENANCE

### Routine servicing

Periodic inspection

### Service components

Available to order

### Cleaning & Maintenance

Damp cloth, no abrasives, no solvents to be used on the cosmetic surfaces

### Handling & Storage

Do not drop or expose to moisture

While every effort is made to ensure the accuracy of our technical information, Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained in this document and reserve the right to modify the specifications or data contained herein without prior notification.