



# TECHNICAL SPECIFICATION SHEET


**PRODUCT NAME:** Thin Client Mount

**PRODUCT CODE:** TCM/001

Doc Rev 2.

Product Rev #C

04.08.2016 CF



\*Note that dimensions provided are measured in mm

For under desk installation an additional fixing bracket is required e.g. UNI/ROT, UNI/SR350, UNI/SR520

## KEY FEATURES

- Quick and easy installation
- Can mount horizontally under the desk or vertically behind monitor
  - \*Not suitable for Flo range, Wishbone Dual Bar and Rodney
- Designed to let air circulate to keep the Thin Client from overheating
- Adjustable to suit different Thin Client sizes
- Foam pads to protect thin client

<b>Product Classification</b>	CPU Holders
<b>Max load</b>	12kg (26.4lbs)
<b>Recycled content</b>	12.9%
<b>Total product recyclable</b>	99%

## LOGISTICAL

---

<b>Box contains</b>	Thin Client mount, adjustable Velcro strap, foam pads
<b>Product net weight:</b>	1.1 kg
<b>Box dims (HxWxD)</b>	325 x 160 x 55 mm
<b>Box gross weight</b>	1.2 kg
<b>Carton quantity</b>	20
<b>Master dims (HxWxD)</b>	570 x 330 x 340 mm
<b>Master weight</b>	25 kg
<b>Country of origin</b>	China
<b>Country of configuration</b>	UK

## ORDERING INFORMATION

---

<b><u>Product Description</u></b>	<b><u>Product code</u></b>	<b><u>Colour</u></b>
Thin Client Mount	TCM/001	:/B Black

## WARRANTY

---

<b>Warranty Term</b>	Limited lifetime
----------------------	------------------

## COMPLIANCE & SAFETY CERTIFICATION

---


Whilst no mandatory standards apply to the CPU Holder product sector, all Colebrook Bosson Saunders CPU Holders have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).

<b>Conformance certification</b>	N/A
<b>Test authority</b>	CBS
<b>Safety certification</b>	N/A

## ENVIRONMENTAL

Material Make-up			Total Recycled Content	Breakdown of Recycled Content		Total Recyclable	
Overall Product			Overall Product			Overall Product	
Material type	Total Material type weight (g)	Percentage of Total Product Weight (%)	Material-Type Recycled Content (%)	Percentage PIR of total weight (%)	Percentage PCR of total weight (%)	Total Product Recyclable (g)	Total Product Recyclable (%)
Steel	1057.0	98.9%	12.9%	2.2%	10.7%	1057.0	98.9%
Plastic	2.0	0.2%	0.0%	0.0%	0.0%	2.0	0.2%
Rubber	10.0	0.9%	0.0%	0.0%	0.0%	10.0	0.9%
<b>Total</b>	<b>1069.0</b>	<b>100.0%</b>	<b>12.9%</b>	<b>2.2%</b>	<b>10.7%</b>	<b>1069.0</b>	<b>100.0%</b>

PIR = Post Industrial Recycled  
PCR = Post Consumer Recycled



## CLEANING, STORAGE & MAINTENANCE

### Routine servicing

Periodic inspection

### Service components

Available to order

### Cleaning & Maintenance

Damp cloth, no abrasives, no solvents to be used on the cosmetic surfaces

### Handling & Storage

Do not drop or expose to moisture

While every effort is made to ensure the accuracy of our technical information, Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained in this document and reserve the right to modify the specifications or data contained herein without prior notification.